



The **FINEST CEDAR GREENHOUSES**



A wonderful range of high quality cedar greenhouses from Summer Greenhouses.

We deliver to any UK mainland address. Made in pre-glazed sections, these greenhouses are ideal for self assembly.

If required, our low cost professional installation service is available throughout England and Wales and in many parts of Scotland.

For further information and current prices please phone us or visit our website at: www.summergreenhouses.com

You can phone us free 7 days a week on 0800 9777 828



...AND WHY YOU SHOULD BUY



The superiority of
ALTON GREENHOUSES has
been proven by

independent tests. Growing conditions and fuel usage were compared with a similarly proportioned aluminium greenhouse over 12 months.

The results showed that the Alton produced a far better growing environment which produced heavier cropping. It was also shown that watering requirements were less frequent in an Alton, and that plants grew healthier compared with the reported leaf curl and mould found in the aluminium greenhouse.

Over a year the aluminium cost 18% more to heat because cedar warms up quicker in the day time and cools slower at night. Appreciable results for the discerning gardener and proof indeed of the superiority of **ALTON GREENHOUSES**. No wonder Alton is ***The Gardener's Choice!***



EASY TO ASSEMBLE

As most sections are pre-glazed, **ALTON GREENHOUSES** are easy to erect and are supplied with full instructions. If you do not wish to do it yourself Summer Greenhouses provides an expert fitting service. It is advisable to prepare a perimeter footing of concrete or paving slabs for the greenhouse to

stand upon; for further details please ask for our Base Kerb Dimension Sheet, or visit our website:
www.summergreenhouses.com

UNIQUE PACKAGE OFFERS (UPO)

Your greenhouse can be almost as individual as you are. Alton have a comprehensive range of accessories, take a look at the options available, then design your greenhouse to suit your particular needs. For example: size, it is a known fact that whatever size of greenhouse you buy it won't be big enough! So always buy the biggest your budget and garden will allow. Don't forget that there are extensions available to the Amateur and Traditional ranges, which can be added later. What about staging that is easily removed to grow tomatoes? How about choosing a partition within the greenhouse to create different climates? Why not choose automatic roof and side louvre openers for air movement even when you are not there? Work out your requirements then phone Summer Greenhouses on 0800 9777 828 and we will be pleased to assist you

A brand new Alton packed with those little design features that make all the difference to you...

AN **ALTON** GREENHOUSE

THE BEST MATERIAL

Alton selects only the best Western Red Cedar - the Alton specification is more demanding even than that acceptable for manufacturing the highest quality conservatories.

Western Red Cedar is an intrinsically expensive material, and because Alton only accepts the best grade available much of the cedar imported is simply not good enough for Alton. It is sold to other building manufacturers.

ALTON GREENHOUSES are all factory treated by total immersion in a preservative treatment prior to delivery.

If you wish to preserve the colour, retreat it every year. If you do not do so, the cedar will gradually fade to its natural silvery appearance. This will not affect the 10 year framework guarantee.

Cedar is the ideal material for building **ALTON GREENHOUSES**, as already mentioned, but here are a few other advantages:-

The warm, natural golden honey colour looks superb in any garden setting. The cedar construction produces a stronger and more thermally efficient building than aluminium alternatives.



Our timber is supplied from FSC/PEFC/CSA certified sources

Unlike ordinary greenhouses, which constantly need repairing and protecting from the influences of the British climate, Alton Cedar has an inherent resistance to rot.

WESTERN RED CEDAR (*Thuja plicata*)

The largest and finest of the cedars produced anywhere in the world, the western red cedar is famed for its extraordinary durability and resistance to decay.

Western red cedar is a distinct species, possessing all the desirable qualities of the other cedars, and additional advantages besides. It can be finished to a smooth, silky finish; it is free from pitch, it takes and holds stains and paints excellently, and has superior glueing properties. Its colour is extremely attractive, varying from almost pure white of the narrow sapwood to the light straw shade of dark reddish-brown of the heartwood.

The wood of Western red cedar has a very low coefficient of expansion, so that it does not shrink, swell or warp excessively, even when subjected to changing degrees of temperature and moisture.

It has prime insulating qualities and its pleasing aromatic odour is repellent to moths, insects and vermin. The wood is saturated to every fibre with a natural preservative oil which renders it virtually immune to decay and gives it extreme durability without artificial preservative treatment.

This extract is reproduced from the Grading Rules for Exported Canadian Western Red Cedar published by the Pacific Lumber Inspection Bureau, Bellevue, Washington, U.S.A.

STRONG FOUNDATIONS



CONCRETE BASE KERBS AS STANDARD

All greenhouses should be constructed with a perimeter plinth between the bottom of the frame and ground. This will prevent the wood coming in contact with the damp soil and give the greenhouse frame a flat and level surface to be attached to.

Alton provide, as standard, purpose designed base kerbs in pre-cast concrete sections. They are robust, attractive and impervious to frost and water. Each has built-in anchorage points ready for bolting the greenhouse firmly down into place.

Alton's concrete base kerbs are more economical and far more convenient than building a brick plinth. The site for the greenhouse should be perfectly flat and level and it is essential that the ground is well compacted to support the weight of the building. If the ground is soft or loose it is important to lay a perimeter concrete foundation onto which the base kerbs can be positioned.

Another benefit of Alton's concrete base kerbs is their weight which helps anchor your greenhouse to the ground - ideal in stormy and inclement weather conditions.

The concrete base kerbs are also provided as standard when having a partition or extension to your greenhouse. Where necessary gaps in the base kerbs are left to ensure a level and step-free doorway.



TOUGHENED SAFETY GLASS AS STANDARD ON ALL BUILDINGS

Summer Greenhouses 0800 9777828



The finest cedar greenhouses

GOOD VENTILATION IS A MUST FOR HEALTHY PLANTS AND MORE PRODUCE

The unique ventilation system provided on an Alton greenhouse has been proven to produce healthier plants and higher yields...

This example shows an Alton Amateur 10x15 greenhouse with the standard manual Alton Ventaccess in alternative bays on both sides, plus louvre vents again on both sides and with the optional extra of automatic openers. The roof vents, also in alternative bays and with optional automatic openers, complete the ventilation system.

Roof vents, available with a manual opener as standard on all Amateur, Traditional and Popular models. Automatic openers come as an optional extra. The Octagonal range has automatic roof vent openers as standard, see relevant page for details.

AltonLouvre Vents are available as an optional extra, with or without an automatic opener, for all models.

EXCLUSIVE to ALTON

AltonVentaccess available as a manual opening as standard on all Amateur and Traditional models.



Choose an Alton for maximum fresh air to all parts of your greenhouse, helping to fight off decay and essential for producing strong and healthy plants.

We all know plants require regular watering but clean natural fresh air at all levels is of equal importance to produce those healthy plants. Opening a door is not enough, the air should be circulating around the greenhouse, removing the hot air and replacing it with fresh milder air, especially at ground level where plants are vulnerable to the 'grey mould' disease.

Alton Amateur and Traditional Greenhouses have an already impressive reputation in the cedar greenhouse market and the options on their ventilation systems only reinforce this. Ground level 'ventaccess' on alternative bays come as standard, mid level louvre vents and again alternative roof bay vents (both available with automatic openers as an optional extra), gives the most impressive air circulation as the illustration above shows.

The range of Octagonal greenhouses again have been designed to provide plenty of light and ventilation.

For expert advice before you buy phone Summer Greenhouses free 7 days a week on 0800 9777 828

...AND WHY VENTILATION IS SO IMPORTANT



Doors, always an excellent way of getting extra air movement. But it is not always practical to keep the door open, so it should not be relied on as a way to ventilate your greenhouse. Double doors are available on the larger Amateur model which gives further ventilation possibilities - plus it provides an enormous step free opening - ideal for wheelchair access.

The models which have a lantern roof come with an automatic opener(s) as standard. All models come with a large variety of ventilation options, manual opening high level vents, side windows, mid and or low level louvre vents.

The Alpinehouse - ideal for growing alpins - has the ultimate ventilation system which gives the maximum light and air circulation available.

For full details phone us free on 0800 9777 828 or visit the website at www.SummerGreenhouses.com

Those little design features that make all the difference to you...

SAVE £££s WITH GREAT PACKAGE OFFERS
PHONE SUMMER GREENHOUSES FREE ON 0800 9777 828 - TODAY!



...A FEW FACTS, FIGURES AND SITING!

WHAT SIZE?



Always buy the biggest greenhouse that space and finances will allow. You can never have enough space. If garden space is limited you might consider a 'Lean-to' - a quality 'half a greenhouse' which when sited against a sunny wall can give bumper crops of tomatoes, or grapes perhaps. Also bear in mind that it's better to go for maximum width rather than length because **ALTON** Amateur and Traditional Greenhouses can be increased in length at a later date using extension modules. Storage and growing space can be optimized by selecting staging and high level shelving.

If you are looking at the Octagonal range you will find four different sizes, from the well proportioned 6x6 to the largest model at 8x11.

NEW and BETTER GLAZING




TOUGHENED SAFETY GLASS AS STANDARD ON ALL BUILDINGS

ALTON GREENHOUSES have full-length toughened safety glass glazing panels as standard, giving maximum light transmission and peace of mind. They are held in place by Cedar glazing beads - so there's no putty to go brittle and fall out.


An Alton is easy to clean and maintain, and if the unexpected did happen and the glass got broken - it is extremely easy to replace the glass.

A design feature that makes life that little bit easier for you...

POSITIONING YOUR GREENHOUSE



The most convenient position is normally as near to your house as possible without falling within its shadow. Avoid siting near trees, in the shadow of buildings, walls, etc., or in extremely exposed positions. Ideally, you should site a free-standing greenhouse with its ridge running from east to west as this gives better light penetration in the winter when the sun is low in the sky. Do consider other things like water supply, or if an electricity supply is required.



A lean-to greenhouse should ideally be sited against a south facing wall.

All details of sizes and assembly instructions are available, and can be downloaded from our website:

www.SummerGreenhouses.com

HELP AND ADVICE

We will be pleased to assist and advise on any details you are unsure of and explain all the benefits of being an Alton Greenhouse owner! You can phone Summer Greenhouses free 7 days a week on 0800 9777 828 or visit the website at www.SummerGreenhouses.com

**LONG LASTING GOOD LOOKS BACKED BY OUR
FREE 10 YEAR FRAME GUARANTEE**



*Toughened Safety Glass
as standard*



POPULAR GREENHOUSES

For the smaller garden



INCLUDED AS STANDARD

Toughened Safety Glass
Timber base kerbs
One roof vent
Kerbless threshold
Full length glazing sections
Factory applied preservative treatment

ALTONPOPULAR GREENHOUSE Model shown is 6'4"x 8'0"/1.93m x 2.43m with concrete base kerbs which are no longer supplied.

The **ALTONPOPULAR GREENHOUSE** is a traditionally designed greenhouse, made from the same high quality Western Red Cedar as the other models in the range. Available in one width and two lengths, the Popular is a genuine bargain.

Although the most keenly priced of Alton's range of greenhouses, it shares many of their standard features. A roof vent, full length glass panels and preservative treatment are all included. The style of workmanship is equal to that of Alton's larger greenhouses and the **ALTONPOPULAR** also carries the **FREE TEN YEAR GUARANTEE** on the cedar frame.



Installing the **ALTONPOPULAR** is as easy as it is for all Alton freestanding greenhouses, with no single piece of loose glass to handle. The large sections simply bolt together through pre-drilled holes, making assembly quick and easy. The price includes timber base kerbs not concrete as shown above.

The standard **ALTONPOPULAR** greenhouse comes with no guttering, side louvre vent or automatic roof vent openers, which can all be added if desired.

It is not possible to either 'instant clad' or to extend the **ALTONPOPULAR** at a later date. This model has become very 'popular' with gardeners who have a smaller plot but still require the best possible cedar greenhouse for their money.

| GREENHOUSE | STANDARD LENGTH | | RIDGE Height | DOOR OPENING Width | Height |
|-------------------------|-----------------|---------------|----------------|--------------------|-------------------|
| 6'4" wide 1.93m wide | 5'6" 1.67m | 8'0" 2.43m | 6'10" 2.08m | 2'0" 0.61m | 5'8 1/2" 1.74m |

Eaves height is 5'4 1/2"/1.64m.

All dimensions are external. Heights include 5"/13cm concrete base kerbs.

LONG LASTING GOOD LOOKS BACKED BY A FREE 10 YEAR FRAME GUARANTEE
Summer Greenhouses 0800 9777 828

Toughened Safety Glass as standard



AMATEUR GREENHOUSES

Greenhouse gardening throughout the year

INCLUDED AS STANDARD

- Toughened Safety Glass
- Concrete base kerbs
- Roof vents* AltonVentaccess*
- Number of vents will increase dependent on length*
- Kerbless threshold
- Full length glazing sections
- Factory applied preservative treatment
- Guttering and downpipes



ALTONAMATEUR GREENHOUSE Model shown is 10'0" x 13'0" / 3.04m x 3.96m



ALTONAMATEUR GREENHOUSE
Model shown is 10'0" x 13'0" / 3.04m x 3.96m

ALTONAMATEUR GREENHOUSES and LEAN-TOs have been designed for cropping right the way through the winter months.

The full length glass panels and sloping sides make the greatest possible use of the low-angled winter sun. It's economical to heat, too, because the Western Red Cedar is a most efficient thermal insulator.

FREE **TEN YEAR**
GUARANTEE
ON ALL ALTON
CEDAR FRAMES

EASY TO
ASSEMBLE
PRE-GLAZED SECTIONS
& FULL INSTRUCTIONS

| GREENHOUSE | STANDARD LENGTH | | | | | | | RIDGE Height | DOOR OPENING | |
|--------------------------|-----------------|---------------|----------------|----------------|----------------|----------------|----------------|---------------|---------------|-------------------|
| | | | | | | | | Width | Height | |
| 6'5" wide 1.95m wide | 5'6" 1.67m | 8'0" 2.43m | 10'6" 3.20m | 13'0" 3.96m | 15'7" 4.75m | 18'0" 5.48m | 20'7" 6.27m | 6'8" 2.04m | 2'0" 0.61m | 5'8 1/2" 1.74m |
| 8'0" wide 2.43m wide | 5'6" 1.67m | 8'0" 2.43m | 10'6" 3.20m | 13'0" 3.96m | 15'7" 4.75m | 18'0" 5.48m | 20'7" 6.27m | 7'0" 2.13m | 2'6" 0.76m | 5'11" 1.80m |
| 10'0" wide 3.04m wide | 5'6" 1.67m | 8'0" 2.43 | 10'6" 3.20m | 13'0" 3.96m | 15'7" 4.75m | 18'0" 5.48m | 20'7" 6.27m | 7'5" 2.26m | 2'6" 0.76m | 5'11" 1.80m |

Eaves height is 5'5"/1.65m for all models. Longer models are available on request, plus extension modules to add at a later date.
All dimensions are external. Heights include 5"/13cm concrete base kerbs.

For expert advice before you buy phone Summer Greenhouses free 7 days a week on 0800 9777 828



Toughened Safety Glass as standard

AMATEUR LEAN-TO GREENHOUSES

Greenhouse gardening throughout the year

INCLUDED AS STANDARD

Toughened Safety Glass
Concrete base kerbs
Roof vents* AltonVentaccess*
Number of vents will increase dependent on length
Kerbless threshold
Factory applied preservative treatment
Guttering and downpipes



FREE **TEN YEAR**
GUARANTEE
ON ALL ALTON
CEDAR FRAMES

EASY TO
ASSEMBLE
WITH FULL
INSTRUCTIONS

ALTONAMATEUR LEAN-TO

Model shown is 7'0" x 13' / 2.13 x 3.96 with door in left hand side

Easy to install **ALTONAMATEUR** GREENHOUSES are available in both free-standing and Lean-To versions in the size options shown in the tables. All models are pre-treated and have a wide, sliding door and kerbless doorway for easy wheelbarrow access. An extensive choice of carefully selected accessories and optional extras are available

Not that the Amateur is a 'Wintertime only' greenhouse. In fact



ALTONAMATEUR LEAN-TO

Model shown is 7'0" x 10'6" / 2.13 x 3.20m with door in left hand side

it encompasses design features that put most other greenhouses in the shade when it comes to summertime use.

The ideal position for a Lean-To greenhouse is on a south facing wall, maximizing the natural light and warmth of the sun.

| LEAN-TO | STANDARD LENGTH | | | | | | | RIDGE Height | DOOR OPENING | |
|-------------------------|-----------------|---------------|----------------|----------------|----------------|----------------|----------------|--|---------------|----------------|
| | Width | Length | Length | Length | Length | Length | Length | Height | Width | Height |
| 7'0" wide 2.13m wide | 5'6" 1.67m | 8'0" 2.43m | 10'6" 3.20m | 13'0" 3.96m | 15'7" 4.75m | 18'0" 5.48m | 20'7" 6.27m | 8'4 ³ / ₈ " 2.55m | 2'6" 0.76m | 5'11' 1.80m |

Eaves height is 5'5"/1.65m for all models.

Maximum internal clearance at ridge is 7'11"/2.41m from ground level (assuming concrete base kerbs are used).

Flashing between the wall and the Lean-to Greenhouse is not supplied. *All dimensions are external. Heights include 5"/13cm concrete base kerbs. Please note overlapping glass panes in roof*

IN RECENT TESTS ALTON GREENHOUSES PRODUCED A 10% HIGHER YIELD

Summer Greenhouses 0800 9777 828

Toughened Safety Glass as standard




TRADITIONAL GREENHOUSES

BIG on growing space - economical to heat

INCLUDED AS STANDARD

Toughened Safety Glass
Concrete base kerbs
Roof vents* AltonVentaccess*
Number of vents will increase dependent on length
Kerbless threshold
Full length glazing sections
Factory applied preservative treatment
Guttering and downpipes



ALTONTRADITIONAL GREENHOUSE

Model shown is 6'5" x 8'0" / 1.95m x 2.43m

The Traditional-styled greenhouse is now available in three models. The free-standing greenhouse, as shown on this page or the newly introduced Dwarf Wall model along with the space saving Lean-to model.

All the Traditional greenhouses and Lean-To's have parallel sides that don't restrict the growing space at high level and are ideally suited to the addition of high-level shelving.



ALTONTRADITIONAL GREENHOUSE

Model shown is 6'5" x 10'6" / 1.95m x 3.20m with automatic roof vent opener

The Traditional is the greenhouse for those people who need the maximum growing space in the smallest amount of ground and prefer the looks and superior insulating properties of Cedar.

FREE
TEN YEAR
GUARANTEE
ON ALL ALTON
CEDAR FRAMES

EASY TO
ASSEMBLE
PRE-GLAZED SECTIONS
& FULL INSTRUCTIONS

| GREENHOUSE | STANDARD LENGTH | | | | | | | RIDGE Height | DOOR OPENING | |
|-------------------------|-----------------|---------------|----------------|----------------|----------------|----------------|----------------|---|---|--|
| | | | | | | | | | Width | Height |
| 6'5" wide 1.95m wide | 5'6" 1.67m | 8'0" 2.43m | 10'6" 3.20m | 13'0" 3.92m | 15'7" 4.75m | 18'0" 5.48m | 20'7" 6.27m | 6'10 ¹ / ₂ " 2.10m | 1'11 ³ / ₄ " 0.60m | 5'8 ¹ / ₂ " 1.74m |

Eaves height is 5'4¹/₂" / 1.64m for all models. Longer models are available on request, plus extension modules to add at a later date.
All dimensions are external. Heights include 5"/13cm concrete base kerbs.

For expert advice before you buy phone Summer Greenhouses free 7 days a week on 0800 9777 828

NEW DWARF WALL

AVAILABLE TO
ORDER NOW



Toughened Safety Glass as standard

TRADITIONAL DWARF WALL GREENHOUSES

New sizes, new models, classic design

INCLUDED AS STANDARD

Toughened Safety Glass
Roof vents - Louvre Vents
Number of vents will increase dependent on length
Kerbless threshold
Full length glazing sections
Factory applied preservative treatment
Guttering and downpipes
Installation onto brick wall*

EXTRA HEIGHT

Over 6' eaves height and 6'6" door height provides a comfortable environment plus ample space for all your taller plants.



A recommended air brick for extra ventilation

ALTON TRADITIONAL DWARF WALL GREENHOUSE

Models shown are 7'7" x 10'6" / 2.32m x 3.20m. showing Louvre Vents in alternate bays, and have been built with LBC Tudor bricks and a top course of engineering blue bricks.

The new Traditional-styled dwarf wall greenhouse is the latest addition to the quality Alton range of greenhouses. A classically designed greenhouse which can complement the style of your house and garden. Plus the added benefit of the height! It's massive - a door opening height of over 6'6" / 2m and a ridge height that could be of over 8' / 2.4m.

Available in two widths and a length to suit your garden (see chart below) Alton have designed this greenhouse for building

on a 675mm high dwarf wall. Alton will also provide

the necessary site plans/drawing for your chosen builder to construct the footing and build a single brick wall.

The bricks used should be of good quality and not sand faced. In many areas Summer Greenhouses may be able to quote you for doing this, or recommend a builder.



| GREENHOUSE STANDARD LENGTH | | | | | | | | RIDGE Height | DOOR OPENING Width | DOOR OPENING Height |
|--|----------------|--|--|---|-----------------|--|--|--|--|---|
| 7'7 ¹ / ₂ " wide 2.32m wide | 5'4" 1.625m | 7'10 ⁵ / ₈ " 2.403m | 10'4 ¹ / ₂ " 3.162m | 12'11 ¹ / ₈ " 3.940m | 15'5" 4.699m | 17'11 ⁵ / ₈ " 5.477 | 20'5 ¹ / ₂ " 6.236m | 7'7 ¹ / ₂ " 2.32m | 2'5 ³ / ₄ " 0.75m | 6'6 ³ / ₄ " 2.0m |
| 10'0" wide 3.04m wide | 5'4" 1.625m | 7'10 ⁵ / ₈ " 2.403m | 10'4 ¹ / ₂ " 3.162m | 12'11 ¹ / ₈ " 3.940m | 15'5" 4.699m | 17'11 ⁵ / ₈ " 5.477 | 20'5 ¹ / ₂ " 6.236m | 8'2" 2.5m | 2'5 ³ / ₄ " 0.75m | 6'6 ³ / ₄ " 2.0m |

Eaves height is 6'0¹/₂" / 1.84m for all models. Longer models are available on request.

All dimensions are external. Please request a dwarf wall site plan/drawing before commencing

* Installation onto customer's prepared brick wall included in most areas - see price list for full details.

SAVE £££s ON HEATING - TESTS HAVE SHOWN THAT ALUMINIUM GREENHOUSES COST 18% MORE TO HEAT THAN ALTON GREENHOUSES

Toughened Safety Glass as standard




TRADITIONAL LEAN-TO GREENHOUSES

BIG on growing space - economical to heat

INCLUDED AS STANDARD

Toughened Safety Glass
Concrete base kerbs
Roof vents*
AltonVentaccess*
*Number of vents will increase
dependent on length*
Kerbless threshold
Full length glazing sections
Factory applied preservative
treatment
Guttering and downpipes



ALTON TRADITIONAL LEAN-TO Models shown above are 5'0" x 10'6" / 1.52m x 3.20m buildings - with a door in the right hand side

A Traditional Lean-to is an ideal greenhouse to place on a spare wall! Perhaps space may be at a premium or you wish to have extra sheltered growing space near the house, what ever the reason a Lean-to greenhouse is the solution.

There is plenty of room for your seed trays and to propagate the tender plants - with staging and high level shelving. The wall which acts as a radiator (warms up during the day and slowly releases its warmth during the night) can be used to grow delicate fruits such as grapes, peaches etc.

Ideally placed on a south facing wall a Lean-To will then maximise the available natural light and warmth.

With the extra ventilation (available as optional extras), a Traditional Lean-To becomes a very efficient and cost effect greenhouse.

FREE **TEN YEAR**
GUARANTEE
ON ALL ALTON
CEDAR FRAMES

EASY TO
ASSEMBLE
PRE-GLAZED SECTIONS
& FULL INSTRUCTIONS

| LEAN-TO | STANDARD LENGTH | | | | RIDGE Height | DOOR OPENING | |
|-------------------------|-----------------|---------------|----------------|----------------|-----------------|---------------|----------------|
| | | | | | | Width | Height |
| 5'0" wide 1.52m wide | 5'6" 1.67m | 8'0" 2.43m | 10'6" 3.20m | 13'0" 3.96m | 7'9" 2.36m | 2'4" 0.71m | 5'11" 1.80m |

Eaves height is 5'4¹/₂"/1.64m for all models. Longer models are available on request, plus extension modules to add at a later date. Maximum internal clearance at ridge is 7'4"/2.25m from ground level (assuming concrete base kerbs are used). Flashing between the wall and the Lean-to Greenhouse is not supplied. *All dimensions are external. Heights include 5"/13cm concrete base kerbs.*

FOR EXPERT ADVICE BEFORE YOU BUY – PHONE SUMMER GREENHOUSES FREE ON 0800 9777 828



Toughened Safety Glass as standard



GREENHOUSE ACCESSORIES

Get even more out of your greenhouse...



DOUBLE DOOR


Amateur 10' / 3.04m model only

An option available only on the 10'/3.04m wide Amateur, which provides an enormous step-free opening 4'4"/1.32m wide - ideal for wheelchair access.

ADDITIONAL DOOR

Amateur and Traditional models

An additional sliding door - to provide a door at both ends of the greenhouse - is available for the Amateur and Traditional models, if ordered together with your greenhouse.



STAGING & HIGH LEVEL SHELVING

Alton pre-treated timber staging is available in a variety of widths and lengths to fit all greenhouses in the range. High level shelving is ideal for individual pots and small trays. It provides useful extra growing space above the staging. The shelf sections are 12" (30cm) wide and supplied complete with all fixings.



INTERNAL PARTITION

Amateur models only

Available for the Amateur 8'0"/2.43m and 10'0"/3.04m wide models only. Internal partitioning allows you to keep different parts of the greenhouse at different temperatures for hot/cool house versatility.



CLIP-ON PANELS

Amateur and Traditional models


Amateur and Traditional greenhouses can be used with clip-on fit cedar cladding panels - available as an optional extra - which simply clip over the outside of the glass. These give you year-round versatility - clad to staging height all round for maximum heat retention in winter or for growing ferns in summer; glass-to-ground all round for growing tall subjects such as tomatoes or gladioli; or partially clad for the best of both worlds. Not available for the Popular model.



GREENHOUSE ACCESSORIES

Get even more out of your greenhouse...

EXTERNAL SHADING



Specialist UV stabilised greenhouse shading material in green for fitting on the outside of the greenhouse. Only external shading keeps both the heat out and stops the burning of delicate plants and seedlings. Available with a standard drop of 8'2.43m and in a length to suit your Amateur, Traditional and Popular greenhouse, each kit is supplied complete with fittings so it can easily and quickly be put on or taken off as required. Provides 70% shading and is flexible enough so that roof vents can operate quite easily beneath it. Octagonal greenhouses have a 'one piece' which drops over the roof similar to a large table cloth.

EXTENSION MODULES

All Amateur and Traditional Greenhouses can be extended in length in either direction using the pre-treated extension modules. You simply remove the greenhouse end panel, bolt the extension modules in place and then replace the end panel.

GUTTERING ADAPTOR KIT

Suitable for all freestanding Amateur and Traditional models. Sufficient components to connect together both sides of the existing guttering and take the water to a single point. Such as into a water butt.

TOUGHENED SAFETY GLASS



All **ALTON** GREENHOUSES now come with toughened glass as standard. This toughened glass complies with the safety standard BS 6206 Class A.

You can now rest assured of your safety as well as those in your family.

VENTILATION



LOUVRE VENTS

Available with Manual or automatic opener

Extra side ventilation can be provided by fitting louvre vents at staging height. Use them in conjunction with roof ventilation and Ventaccess panels to promote healthy air circulation at all levels of the greenhouse.

Increased roof ventilation can be provided to most models, if required, by ordering additional roof vents. It is recommended that this is done while ordering your greenhouse, as fitting an additional vent once built can be problematic.



AUTOMATIC OPENERS

Automatic openers are also available, so extra ventilation can take place in your absence. Just set and forget. These units automatically open and close vents in response to climatic conditions.



ROOF VENTS

With an automatic opener



ROOF VENTS

With a manual opener

For expert advice before you buy phone Summer Greenhouses free 7 days a week on 0800 9777 828



OCTAGONAL GREENHOUSES

Where style is as important as functionality

Alton Octagonals

A contemporary alternative to traditionally styled greenhouses

The **ALTON**OCTAGONAL range of greenhouses have been specially designed to provide a very attractive alternative to the traditional shaped greenhouse. Its distinctive style will grace any garden setting and its elegant shapes make the Octagonal range ideal for any size of garden.



A new addition to the Alton range, the 'Alpinehouse' especially designed for the growing of plants requiring extra light and ventilation. Ideal for growing alpenes.

The **ALTON**OCTAGONAL is available in four sizes plus the Alpinehouse, and is designed for constructing on our 1³/₄" / 4.5cm high concrete base kerbs. These provide a level foundation, a solid fixing for the building. Ideally they should be laid on flat and level paving slabs.

A variety of interior staging and shelving formats can be achieved using our specially designed system. Simply choose the arrangement that best suits your needs.

Additional ventilation, or complete glass to ground options can make this greenhouse as individual as you are!

NEW GLASS TO GROUND

New glass to ground panels are available to replace cedar panels on all Octagonal greenhouses - toughened glass of course...



**TOUGHENED
SAFETY
GLASS AS STANDARD**

I am very pleased with it (Octagonal 6x6) and as we only have a small garden it fits very nicely into the corner of the lawn... in the spring I had 24 seed trays in it...

MRS B. · ESSEX

For expert advice before you buy phone Summer Greenhouses free 7 days a week on 0800 9777 828

Toughened Safety Glass as standard



OCTAGONAL GREENHOUSES

Where style is as important as functionality

NEW
GLASS TO
GROUND
OPTION AVAILABLE
See page 19

INCLUDED AS STANDARD

Toughened safety glass
Concrete base kerbs
One manual side window

EASY TO ASSEMBLE

PRE-GLAZED SECTIONS
& FULL INSTRUCTIONS

FREE
TEN YEAR
GUARANTEE
ON ALL ALTON
CEDAR FRAMES



ALTON OCTAGONAL GREENHOUSES Models shown are 6'0⁵/₈" x 6'0⁵/₈" / 1.84m x 1.84m

This delightfully proportioned 6x6 Octagonal Greenhouse will sit comfortably in most gardens but particularly designed for the smaller garden. With the staging and high level shelving available on all side the growing space is surprisingly large. Optional extras are available which allows you to customize the greenhouse to your requirements.

| OCTAGONAL | DEPTH | WIDTH | RIDGE Height | EAVES Height | DOOR OPENING Width | DOOR OPENING Height |
|-------------|---|--|----------------|---------------|--|---|
| 6 x 6 model | 6'0 ⁵ / ₈ " 1.83m wide | 6'0 ⁵ / ₈ " 1.83m | 7'10" 2.39m | 6'2" 1.88m | 2'2 ¹ / ₂ " 0.67m | 5'11 ⁷ / ₈ " 1.83m |

Eaves height is 6'2"/1.88m for all models. All dimensions are external. Heights include 1³/₄"/4.5cm concrete base kerbs.

OVER 80 YEARS OF EXPERIENCE GOES INTO THE PRODUCTION OF ALTON GREENHOUSES
Summer Greenhouses 0800 9777 828



Toughened Safety Glass as standard

OCTAGONAL GREENHOUSES

Where style is as important as functionality

NEW
GLASS TO
GROUND
OPTION AVAILABLE



INCLUDED AS STANDARD

Toughened safety glass
Concrete base kerbs
One automatic roof vent
Two manual side windows

ALTON OCTAGONAL GREENHOUSES

Models shown are 6'0⁵/₈" x 8'6¹/₂" / 1.84m x 2.60m

The 6x8 model is designed to give you a few more options on growing space. Again staging and high level shelving gives ample growing space and with the glass to ground option gives you an opportunity to grow light loving plants. Tomatoes are ideal, simply take out the staging when you need to and replace after the growing season.

Additional opening windows and louvre vents are also available as optional extras if there is a need for more ventilation.

Those little design features that make all the difference to you...



NEW DOUBLE DOORS

AS AN OPTIONAL EXTRA ON THIS OCTAGONAL GREENHOUSE

FREE
TEN YEAR
GUARANTEE
ON ALL ALTON
CEDAR FRAMES

EASY TO
ASSEMBLE
PRE-GLAZED SECTIONS
& FULL INSTRUCTIONS

| OCTAGONAL | DEPTH | WIDTH | RIDGE Height | EAVES Height | DOOR OPENING | |
|-------------|---|--|----------------|---------------|--|---|
| | | | | | Width | Height |
| 6 x 8 model | 6'0 ⁵ / ₈ " 1.83m wide | 8'6 ¹ / ₂ " 2.60m | 7'10" 2.39m | 6'2" 1.88m | 2'2 ¹ / ₂ " 0.67m | 5'11 ⁷ / ₈ " 1.83m |

All dimensions are external. Heights include 1³/₄" / 4.5cm concrete base kerbs.

FOR EXPERT ADVICE BEFORE YOU BUY – YOU CAN PHONE SUMMER GREENHOUSES FREE 7 DAYS A WEEK

Summer Greenhouses 0800 9777 828



OCTAGONAL GREENHOUSES

Where style is as important as functionality

NEW
GLASS TO
GROUND
OPTION AVAILABLE
See page 19



INCLUDED AS STANDARD

Toughened safety glass
Concrete base kerbs
Two manual side windows
Two 3-spring automatic roof vents
Exclusive lantern

ALTON OCTAGONAL 8x8 GREENHOUSE

Model shown is 8'6 1/2" x 8'6 1/2" / 2.60m x 2.60m featuring the special design feature 'Lantern' with automatic roof vents.

Automatic openers for the side windows are also available to help you create the best possible growing environment for your plants.

The ALTON OCTAGONAL range has two new optional extras:-
For low level and easily adjustable ventilation one or more cedar cladding sections can be fitted with a glass louvre vent. The low level louvre will be partially clad. (Two are standard on the new 8x11).

Any of the lower panels, except the door, can be supplied with toughened glass rather than cedar cladding. This allows you to

grow plants in maximum light conditions at ground level.

The successful 8x8 ALTON OCTAGONAL has many of the design features of the larger 8x11 but its proportions will enhance a wider range of garden sizes.

NEW DOUBLE DOORS

AS AN OPTIONAL EXTRA ON THIS OCTAGONAL GREENHOUSE

FREE
TEN YEAR
GUARANTEE
ON ALL ALTON
CEDAR FRAMES

EASY TO
ASSEMBLE
PRE-GLAZED SECTIONS
& FULL INSTRUCTIONS

| OCTAGONAL | DEPTH | WIDTH | RIDGE Height | EAVES Height | DOOR OPENING | |
|-------------|-------------------|-------------------|-------------------|---------------|-------------------|--------------------|
| | | | | | Width | Height |
| 8 x 8 model | 8'6 1/2" 2.60m | 8'6 1/2" 2.60m | 9'4 1/2" 2.86m | 6'2" 1.88m | 2'2 1/2" 0.67m | 5'11 7/8" 1.83m |

All dimensions are external. Heights include 1 3/4" / 4.5cm concrete base kerbs.

YOUR ALTON GREENHOUSE CAN BE ALMOST AS INDIVIDUAL AS YOU ARE.

Summer Greenhouses 0800 9777 828



Toughened Safety Glass as standard

OCTAGONAL GREENHOUSES

Where style is as important as functionality

**NEW
GLASS TO
GROUND
OPTION AVAILABLE**
See page 19



INCLUDED AS STANDARD

Toughened safety glass
Concrete base kerbs
Two manual side windows
Two automatic roof vents
Exclusive lantern

ALTON OCTAGONAL 8x11 GREENHOUSE

Model shown is 8'6 $\frac{1}{2}$ " x 11'0 $\frac{1}{2}$ " / 2.60m x 3.36m featuring the exclusive design feature 'Lantern' with automatic roof vents.

The 8x11 **ALTON OCTAGONAL** is the latest impressive addition to the very popular Octagonal range. Designed for the larger garden it features the distinctively designed lantern, introduced on the 8x8 model. This elegant and well proportioned building will enhance the appearance of any large garden, and is well equipped to function as a working greenhouse. It gives plenty of through ventilation - there are automatically operated vents in the lantern roof and two manually operated vents in the side windows. There are also two low-level glass louvre vents. Automatic openers are offered as an optional extra for both the side windows and louvres. With full staging and high level shelving the 8x11 gives ample growing space.



NEW DOUBLE DOORS

AS AN OPTIONAL EXTRA ON THIS OCTAGONAL GREENHOUSE

**FREE TEN YEAR
GUARANTEE**
ON ALL ALTON
CEDAR FRAMES

**EASY TO
ASSEMBLE**
PRE-GLAZED SECTIONS
& FULL INSTRUCTIONS

| OCTAGONAL | DEPTH | WIDTH | RIDGE Height | EAVES Height | DOOR OPENING | |
|--------------|------------------------------|--------------------------------|------------------------------|---------------|------------------------------|-------------------------------|
| | | | | | Width | Height |
| 8 x 11 model | 8'6 $\frac{1}{2}$ " 2.60m | 11'0 $\frac{1}{2}$ " 3.36mm | 9'4 $\frac{1}{2}$ " 2.86m | 6'2" 1.88m | 2'2 $\frac{1}{2}$ " 0.67m | 5'11 $\frac{7}{8}$ " 1.83m |

All dimensions are external. Heights include 1 $\frac{3}{4}$ "/4.5cm concrete base kerbs.

FOR EXPERT ADVICE BEFORE YOU BUY – YOU CAN PHONE SUMMER GREENHOUSES FREE 7 DAYS A WEEK

Summer Greenhouses 0800 9777 828

Toughened Safety Glass as standard



ALPINEHOUSES

Extra light - extra ventilation



INCLUDED AS STANDARD

Toughened safety glass
Concrete base kerbs
Maximum Ventilation

- NINE manual opening windows
- FOUR manual mid level louvres
- NINE manual low level louvres

Staging on two sides and rear infill
High level shelving on two sides

ALTONALPINEHOUSE

Model shown is 8'6 $\frac{1}{2}$ " x 6'0" / 2.60 x 1.83m featuring the specially designed features giving extra ventilation and light.

Alton's new Alpinehouse, which is being featured on BBC Gardener's World, has been designed with almost endless ventilation possibilities. Two roof vents with automatic openers, nine manual high level windows, four manual middle louvre vents and nine manual low level louvre vents. In addition the door, which can be positioned to either the right or left, can be opened 180° to give maximum air movement and accessibility.

This new greenhouse is ideal for growing plants which require extra light and ventilation, such as alpiners. Although it was designed by professional alpine growers, the Alpinehouse is not exclusively for alpiners - all healthy plants require good ventilation and light to prosper, so let your gardening creativity blossom!



ALTONALPINEHOUSE - White

Model shown has been painted by the owner using a microporous white paint system

FREE **TEN YEAR**
GUARANTEE
ON ALL ALTON
CEDAR FRAMES

EASY TO
ASSEMBLE
PRE-GLAZED SECTIONS
& FULL INSTRUCTIONS

| ALPINEHOUSE | DEPTH | WIDTH | RIDGE Height | EAVES Height | DOOR OPENING | |
|-------------|------------------------------|-------------------------------|----------------|---------------|------------------------------|-------------------------------|
| | | | | | Width | Height |
| 6 x 8 model | 6'0 $\frac{5}{8}$ " 1.84m | 8'6 $\frac{1}{2}$ " 2.60mm | 7'10" 2.39m | 6'2" 1.88m | 2'2 $\frac{1}{2}$ " 0.67m | 5'11 $\frac{7}{8}$ " 1.83m |

All dimensions are external. Heights include 1 $\frac{3}{4}$ " / 4.5cm concrete base kerbs.

FOR EXPERT ADVICE PHONE SUMMER GREENHOUSES ON 0800 9777 828



Toughened Safety Glass as standard



OCTAGONAL ACCESSORIES

NEW GLASS TO GROUND

New glass to ground panels are available to replace existing cedar panels on all Octagonal greenhouses



Any of the lower panels, except the door, can now be supplied with toughened safety glass rather than the cedar cladding. It is advisable to select this option when ordering your greenhouse rather than later.

AUTOMATIC OPENERS

Pre-fitted into all roofs and lanterns in the Octagonal range. But if you wish automatic window openers can be fitted to the side openings - just set and forget!

WINDOWS

Extra side windows can be added to give extra ventilation. Positioning of these windows vary depending on model so please check with the retailer before ordering. Don't forget these windows can also have automatic openers fitted.

VENTS



For even more ventilation one or more cladding sections can be replaced with a low level vent in a partially clad section. Fitted with glass louvre vents these panels can replace any cedar section except the door. Again

the manual openers, which come as standard, can be replaced with automatic openers.

NEW DOUBLE DOORS

Available on the Octagonal range of greenhouse.

This new option increases the amount of easy access to your



greenhouse, providing ample space for wheelchair and wheelbarrow entry and exit. Please select this option when ordering your greenhouse rather than later.

OCTAGONAL SHADING

Help protect your crop on the brightest of days by choosing the Octagonal greenhouse shading made from a specialist UV stabilized material, the green shading is one piece and designed to drop over the roof.



Example of how to gain more ventilation

Top - a manually opening window, fitted as standard on all octagonals

Mid level - an optional stage height louvre vent, can be a manual or automatic opening

Low level - an optional louvre vent opening built in to the cedar cladding, again manual or automatic opening (see opposite).

We are extremely pleased with our Octagonal greenhouse, it was so easy to construct and the instructions so easy to follow.

MRS E. DORSET

Our policy is one of constant development. We therefore reserve the right to make amendments to specifications without notice. Photographs in this brochure are actual customer installations; the colour of the building is a result of the film used, daylight conditions and angles taken. Variations of colour are caused by a combination of these factors and the inherent natural colour differences of cedar. If you have any queries please phone Summer Greenhouses on 0800 9777 828.



Summer Greenhouses does not guarantee that this is the most recent version of this brochure or that all information is accurate or that it has been accurately reproduced. You are advised to refer to our website for the current specifications and other information. No guarantee is given regarding the accuracy of this brochure and no liability will be accepted for any errors or inaccuracies.

SummerGreenhouses.com is a specialist greenhouse website administered by Summer Garden Buildings, a leading UK retailer of garden buildings. Our comprehensive range of garden and leisure buildings includes:

- Summerhouses, garden rooms, log cabins and garden offices
- Cedar and aluminium greenhouses, lean to greenhouses and mini greenhouses
- Garden sheds, workshops, storage buildings and small store sheds
- Children's playhouses, play centres and outdoor play equipment
- Gazebos, pergolas, arbours and arches
- Cane furniture and garden furniture in hardwood, aluminium and synthetic weave
- Double glazed PVCu conservatories in white or woodgrain PVCu

For details phone us free 7 days a week on 0800 9777 828 or visit www.SummerGardenBuildings.co.uk